ACI MATERIALS JOURNAL

INDEX VOLUME 101, 2004

From a Journal of the American Concrete Institute, Jan. through Dec. 2004

American Concrete Institute®
Advancing concrete knowledge

AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

INDEX

ACI Materials Journal VOLUME 101, 2004

Remove this section and include it with your Jan. through Dec. 2004 Volume 101 issues of the *ACI Materials Journal*.

A

Absorption—Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Marolf, A.; Neithalath, N.; Sell, E.; Wegner, K.; Weiss, J.; and Olek, J., Jan.-Feb. 2004 82

Accelerated chloride threshold testing: part I—ASTM A 616 and A 706 reinforcement (100-M60)

—Trejo, D., and Pillai, R. G., Nov.-Dec. 2003 519

—Disc. by Hime, W. G., Sept.-Oct. 2004 425

Accelerated chloride threshold testing—part II: corrosion-resistant reinforcement (101-M07) Trejo, D., and Pillai, R. G., Jan.-Feb. 2004 57

Acceleration—Accelerated chloride threshold testing—part II: corrosion-resistant reinforcement (101-M07) Trejo, D., and Pillai, R. G., Jan.-Feb. 2004 57

Accelerator—Influence of alkali-free and alkaline shotcrete accelerators within cement systems: hydration, microstructure, and strength development (101-M39) Paglia, C. S. B.; Wombacher, F. J.; and Böhni, H. K., Sept.-Oct. 2004 353

Admixture—Relationship between migration coefficient of chloride ions and charge passed in steady state (101-M14) Yang, C.-C., Mar.-Apr. 2004 124

Aggregate

—Concrete after 30 years of exposure—part I: mineralogy, microstructures, and interfaces (101-M01) Mohammed, T. U.; Hamada, H.; and Yamaji, T., Jan.-Feb. 2004 3

—Effect of aggregate type on mechanical behavior of dam concrete (101-M54) Li, Q.; Deng, Z.; and Fu, H., Nov.-Dec. 2004 483

—Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Marolf, A.; Neithalath, N.; Sell, E.; Wegner, K.; Weiss, J.; and Olek, J., Jan.-Feb. 2004 82

—Variations of lateral and pore water pressure of self-consolidating concrete at early age (101-M35) Assaad, J., and Khayat, K. H., July-Aug. 2004 310

Air content—Effects of air entrainment on rheology (101-M50) Struble, L. J., and Jiang, Q., Nov.-Dec. 2004 448

Air entrainment—Effects of air entrainment on rheology (101-M50) Struble, L. J., and Jiang, Q., Nov.-Dec. 2004 448

Al-Amoudi, O. S. B.—Long-term performance of fusion-bonded epoxy-coated steel bars in chloride-contaminated concrete (101-M34) July-Aug. 2004 303

Alkali—New experimental method for studying early-age cracking of cement-based materials (101-M06) He, Z.; Zhou, X.; and Li, Z., Jan.-Feb. 2004 50

Alkali-silica reaction—Detection and quantification of distributed damage in concrete using transient stress waves (101-M36) Kesner, K.; Sansalone, M. J.; and Poston, R. W., July-Aug. 2004 318

Applications of statistical models in proportioning medium-strength self-consolidating concrete (101-M37) Sonebi, M., Sept.-Oct. 2004 339

Assaad, J.

—Assessment of thixotropy of self-consolidating concrete and concrete-equivalent-mortar—effect of binder composition and content (101-M45) Sept.-Oct. 2004 400

—Comparison of field-oriented test methods to assess dynamic stability of self-consolidating concrete (101-M20) Mar.-Apr. 2004 168

—Evaluation of static stability of self-consolidating concrete (101-M23) May-June 2004 207

—Variations of lateral and pore water pressure of self-consolidating concrete at early age (101-M35) July-Aug. 2004 310

Assessment of thixotropy of self-consolidating concrete and concrete-equivalent-mortar—effect of binder composition and content (101-M45) Assaad, J., and Khayat, K. H., Sept.-Oct. 2004 400

Aquino, W.—Moisture distribution in partially enclosed concrete (101-M28) July-Aug. 2004 259

B

Balaguru, P.—High-Performance fiber-reinforced concrete mixture proportions with high fiber volume fractions (101-M31) July-Aug. 2004 281

Bar—Evaluating bond quality at interface between reinforcing bars and concrete using impact-echo method (101-M18) Lin, Y.-F.; Lin, Y.; and Tsai, B.-Y., Mar.-Apr. 2004 154

Barkey, D. P.—Corrosion of steel reinforcement in concrete adjacent to surface repairs (101-M29) July-Aug. 2004 266

Bars—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 3: effect of geometry and material properties (101-M30) Zhang, J.; Monteiro, P. J. M.; Morrison, H. F.; and Mancio, M., July-Aug. 2004 273

Bartos, P. J. M.—Factorial design of cement slurries containing limestone powder for self-consolidating slurry-infiltrated fiber concrete (101-M16) Mar.-Apr. 2004 136

Beaupré, D.—Effects of particle-size distribution on dry process shotcrete (101-M15) Mar.-Apr. 2004 131

Berdanier, B. W.—Encapsulation of contaminated soil in concrete mortar (101-M38) Sept.-Oct. 2004 347

Bilodeau, A.—Development of ternary blends for high-performance concrete (101-M03) Jan.-Feb. 2004 19

Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Momayez, A.; Ramezanianpour, A. A.; Rajaie, H.; and Ehsani, M. R., Mar.-Apr. 2004 99

Bleeding—Development of ternary blends for high-performance concrete (101-M03) Bouzoubaâ, N.; Bilodeau, A.; Sivasundaram, V.; Fournier, B.; and Golden, D. M., Jan.-Feb. 2004 19

Böhni, H. K.—Influence of alkali-free and alkaline shotcrete accelerators within cement systems: hydration, microstructure, and strength development (101-M39) Sept.-Oct. 2004 353

Bond strength

—Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Momayez, A.; Ramezanianpour, A. A.; Rajaie, H.; and Ehsani, M. R., Mar.-Apr. 2004 99

—Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Shin, H.-C., and Lange, D. A., Sept.-Oct. 2004 358

—Evaluating bond quality at interface between reinforcing bars and concrete using impact-echo method (101-M18) Lin, Y.-F.; Lin, Y.; and Tsai, B.-Y., Mar.-Apr. 2004 154

Bouzoubaâ, N.

—Development of statistical models for mixture design of high-volume fly ash self-consolidating concrete (101-M33) July-Aug. 2004 294

—Development of ternary blends for high-performance concrete (101-M03) Jan.-Feb. 2004 19

Brara, A.—Dynamic tensile behavior of concrete: experiment and numerical analysis (101-M19) Mar.-Apr. 2004 162

Bridge deck

—Effects of atmospheric and construction conditions on concrete equivalent ages (101-M42) Wojcik, G. S., Sept.-Oct. 2004 376

—Electrical resistance heating of conductive concrete containing steel fibers and shavings (101-M08) Tuan, C. Y., Jan.-Feb. 2004 65

—Evaluation of electrically conductive concrete containing carbon products for deicing (101-M32) Tuan, C. Y., and Yehia, S., July-Aug. 2004 287

Brown, J.—Low-cycle fatigue failure of reinforcing steel bars (101-M51) Nov.-Dec. 2004 457

Bui, V. K.—Drying shrinkage of concrete reinforced with fibers and welded-wire fabric (101-M26) May-June 2004 233

Bush, Jr., T. D.—Comparing different cements in high-performance concrete (101-M48) Nov.-Dec. 2004 435

C

Cement

—Assessment of thixotrpoy of self-consolidating concrete and concrete-equivalent-mortar—effect of binder composition and content (101-M45) Assaad, J., and Khayat, K. H., Sept.-Oct. 2004 400

—Comparing different cements in high-performance concrete (101-M48) Freyne, S. F.; Russell, B. W.; Bush, Jr., T. D.; and Hale, W. M., Nov.-Dec.

2004 435
—Concrete after 30 years of exposure—part I: mineralogy, microstructures, and interfaces (101-M01) Mohammed, T. U.; Hamada, H.; and Yamaji, T., Jan.-Feb. 2004 3
—Concrete after 30 years of exposure—part II: chloride ingress and corrosion of steel bars (101-M02) Mohammed, T. U.; Hamada, H.; and Yamaji, T., Jan.-Feb. 2004 13
Cement paste—Effect of geometry and surface friction of test accessory on oscillatory rheological properties of cement pastes (101-M47) Nehdi, M., and Rahman, M.-A., Sept.-Oct. 2004 416
Cementitious—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Kim, Y. Y.; Fischer, G.; Lim, Y. M.; and Li, V. C., Jan.-Feb. 2004 42
Charge—Relationship between migration coefficient of chloride ions and charge passed in steady state (101-M14) Yang, C.-C., Mar.-Apr. 2004 . . . 124
Chun, Y.-M.—Precast concrete products using industrial by-products (101-M22) May-June 2004 199
Comparing different cements in high-performance concrete (101-M48) Freyne, S. F.; Russell, B. W.; Bush, Jr., T. D.; and Hale, W. M., Nov.-Dec. 2004 435
Comparison of field-oriented test methods to assess dynamic stability of self-consolidating concrete (101-M20) Khayat, K. H.; Assaad, J.; and Daczko, J., Mar.-Apr. 2004 168
Compression—Effect of aggregate type on mechanical behavior of dam concrete (101-M54) Li, Q.; Deng, Z.; and Fu, H., Nov.-Dec. 2004 483
Compressive strength
—Comparing different cements in high-performance concrete (101-M48) Freyne, S. F.; Russell, B. W; Bush, Jr., T. D., and Hale, W. M., Nov.-Dec. 2004 435
—Development of ternary blends for high-performance concrete (101-M03) Bouzoubaâ, N.; Biloudeau, A.; Sivasundaram, V.; Fournier, B; and Golden, D. M., Jan.-Feb. 2004 19
—Encapsulation of contaminated soil in concrete mortar (101-M38) Dawadi, S.; Hansen, M. R.; and Berdanier, B. W., Sept.-Oct. 2004. . . 347
—High-performance fiber-reinforced concrete mixture proportions with high fiber volume fractions (101-M31) Balaguru, P., and Najm, H., July-Aug. 2004 281
—New test methods for measuring strength and chloride ion diffusion coefficient of minute regions in concrete (101-M17) Otsuki, N.; Yodsudjai, W.; Nishida, T.; and Yamane, H., Mar.-Apr. 2004 146
—On the development of fly ash-based geopolymer concrete (101-M52) Hardjito, D.; Wallah, S. E.; Sumajouw, D. M. J.; and Rangan, B. V., Nov.-Dec. 2004 467
Concrete
—Assessment of thixotrpoy of self-consolidating concrete and concrete-equivalent-mortar—effect of binder composition and content (101-M45) Assaad, J., and Khayat, K. H., Sept.-Oct. 2004 400
—Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Momayez, A.; Ramezanianpour, A. A.; Rajaie, H.; and Ehsani, M. R., Mar.-Apr. 2004 99
—Comparison of field-oriented test methods to assess dynamic stability of self-consolidating concrete (101-M20) Khayat, K. H.; Assaad, J.; and Daczko, J., Mar.-Apr. 2004 168
—Detection and quantification of distributed damage in concrete using transient stress waves (101-M36) Kesner, K.; Sansalone, M. J.; and Poston, R. W., July-Aug. 2004 318
—Development of statistical models for mixture design of high-volume fly ash self-consolidating concrete (101-M33) Patel, R.; Hossain, K. M. A.; Bouzoubaâ, N.; and Lachemi, M., July-Aug. 2004 294
—Dynamic tensile behavior of concrete: experiment and numerical analysis (101-M19) Brara, A., and Klepaczko, J. R., Mar.-Apr. 2004 162
—Effect of pore water pressure on friction between concrete and slipform panel during slipforming (101-M13) Fossâ, K. T., and Maage, M., Mar.-Apr. 2004 117
—Effects of air entrainment on rheology (101-M50) Struble, L. J., and Jiang, Q., Nov.-Dec. 2004 448
—Effects of atmospheric and construction conditions on concrete equivalent ages (101-M42) Wojcik, G. S., Sept.-Oct. 2004 376
—Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Shin, H.-C., and Lange, D. A., Sept.-Oct. 2004 358
—Electrical resistance heating of conductive concrete containing steel fibers and shavings (101-M08) Tuan, C. Y., Jan.-Feb. 2004 65
—Evaluation of electrically conductive concrete containing carbon products for deicing (101-M32) Tuan, C. Y., and Yehia, S., July-Aug. 2004 287
—Factorial design of cement slurries containing limestone powder for self-consolidating slurry-infiltrated fiber concrete (101-M16) Sonebi, M.; Svermova, L.; and Bartos, P. J. M., Mar.-Apr. 2004 136
—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Petrov, N., and Tagnit-Hamou, A., Nov.-Dec. 2004 442
—Is superposition of creep strains valid for concretes subjected to drying creep? (101-M46) Gardner, N. J., and Tsuruta, H., Sept.-Oct. 2004 . . 409
—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Kim, Y. Y.; Fischer, G.; Lim, Y. M.; and Li, V. C., Jan.-Feb. 2004 42
—Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Videla, C., and Gaedicke, C., Sept.-Oct. 2004 365
—Relationship between migration coefficient of chloride ions and charge passed in steady state (101-M14) Yang, C.-C., Mar.-Apr. 2004 124
—Residual strength and durability of volcanic ash concrete exposed to high temperature (101-M55) Hossain, K. M. A., and Lachemi, M., Nov.-Dec. 2004 493
—Variations of lateral and pore water pressure of self-consolidating concrete at early age (101-M35) Assaad, J., and Khayat, K. H., July-Aug. 2004 310
Concrete after 30 years of exposure—part I: mineralogy, microstructures, and interfaces (101-M01) Mohammed, T. U.; Hamada, H.; and Yamaji, T., Jan.-Feb. 2004 3
Concrete after 30 years of exposure—part II: chloride ingress and corrosion of steel bars (101-M02) Mohammed, T. U.; Hamada, H.; and Yamaji, T., Jan.-Feb. 2004 13
Concrete cracking by localized steel corrosion—geometric effects (101-M56) Torres-Acosta, A. A., and Sagüés, A. A., Nov.-Dec. 2004 501
Consistency—Effects of particle-size distribution in dry process shotcrete (101-M15) Jolin, M., and Beaupré, D., Mar.-Apr. 2004 131
Corrosion
—Accelerated chloride threshold testing—part II: corrosion-resistant reinforcement (101-M07) Trejo, D., and Pillai, R. G., Jan.-Feb. 2004 57
—Concrete after 30 years of exposure—Part II: chloride ingress and corrosion of steel bars (101-M02) Mohammed, T. U.; Hamada, H.; and Yamaji, T., Jan.-Feb. 2004 13
—Concrete cracking by localized steel corrosion—geometric effects (101-M56) Torres-Acosta, A. A., and Sagüés, A. A., Nov.-Dec. 2004 501
—Corrosion of steel reinforcement in concrete adjacent to surface repairs (101-M29) Barkey, D. P., July-Aug. 2004 266
—Long-term performance of fusion-bonded epoxy-coated steel bars in chloride-contaminated concrete (101-M34) Al-Amoudi, O. S. B.; Maslehuddin, M.; and Ibrahim, M., July-Aug. 2004 303
—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 3: effect of geometry and material properties (101-M30) Zhang, J.; Monteiro, P. J. M.; Morrison, H. F.; and Mancio, M., July-Aug. 2004 273
—Performance of supplementary cementitious materials in concrete resistivity and corrosion monitoring evaluations (101-M43) Smith, K. M.; Schokker, A. J.; and Tikalsky, P. J., Sept.-Oct. 2004 385
Corrosion of steel reinforcement in concrete adjacent to surface repairs (101-M29) Barkey, D. P., July-Aug. 2004 266
Covarrubias, J. P.—Updating concrete drying-shrinkage prediction models for local materials (101-M21) May-June 2004 187
Crack—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Kim, Y. Y.; Fischer, G.; Lim, Y. M.; and Li, V. C., Jan.-Feb. 2004 . . 42
Cracking
—Concrete cracking by localized steel corrosion—geometric effects (101-M56) Torres-Acosta, A. A., and Sagüés, A. A., Nov.-Dec. 2004 501
—Effect of aggregate type on mechanical behavior of dam concrete (101-M54) Li, Q.; Deng, Z.; and Fu, H., Nov.-Dec. 2004 483
—New experimental method for studying early-age cracking of cement-based materials (101-M06) He, Z.; Zhou, X.; and Li, Z., Jan.-Feb. 2004 50
Creep
—Creep and shrinkage of high-performance lightweight concrete (101-M44) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., Sept.-Oct. 2004 391
—Is superposition of creep strains valid for concretes subjected to drying creep? (101-M46) Gardner, N. J., and Tsuruta, H., Sept.-Oct. 2004 409
—On the development of fly ash-based geopolymer concrete (101-M52) Hardjito, D.; Wallah, S. E.; Sumajouw, D. M. J.; and Rangan, B. V., Nov.-Dec. 2004 467
Creep and shrinkage of high-performance lightweight concrete (101-M44) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., Sept.-Oct. 2004 391
Curing
—Development of ternary blends for high-performance concrete (101-M03) Bouzoubaâ, N.; Biloudeau; A.; Sivasundaram, V.; Fournier, B; and Golden, D. M., Jan.-Feb. 2004 19
—Effects of atmospheric and construction conditions on concrete equivalent ages (101-M42) Wojcik, G. S., Sept.-Oct. 2004 376

D

Daczko, J.
—Comparison of field-oriented test methods to assess dynamic stability of self-consolidating concrete (101-M20) Mar.-Apr. 2004 168
—Evaluation of static stability of self-consolidating concrete (101-M23) May-June 2004 207
Dawadi, S.—Encapsulation of contaminated soil in concrete mortar (101-M38) Sept.-Oct. 2004 347
Debonding—Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Shin, H.-C., and Lange, D. A., Sept.-Oct. 2004 358
Deformation—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Kim, Y. Y.; Fischer, G.; Lim, Y. M.; and Li, V. C., Jan.-Feb. 2004 42
Deicer
—Electrical resistance heating of conductive concrete containing steel fibers and shavings (101-M08) Tuan, C. Y., Jan.-Feb. 2004 65
—Evaluation of electrically conductive concrete containing carbon products for deicing (101-M32) Tuan, C. Y., and Yehia, S., July-Aug. 2004 287
Deng, Z.—Effect of aggregate type on mechanical behavior of dam concrete (101-M54) Nov.-Dec. 2004 483
Detection and quantification of distributed damage in concrete using transient stress waves (101-M36) Kesner, K.; Sansalone, M. J.; and Poston, R. W., July-Aug. 2004 318
Development of statistical models for mixture design of high-volume fly ash self-consolidating concrete (101-M33) Patel, R.; Hossain, K. M. A.; Shehata, M.; Bouzoubaâ, N.; and Lachemi, M., July-Aug. 2004 294
Development of ternary blends for high-performance concrete (101-M03) Bouzoubaâ, N.; Bilodeau, A.; Sivasundaram, V.; Fournier, B.; and Golden, D. M., Jan.-Feb. 2004 19
Diffusion—Moisture distribution in partially enclosed concrete (101-M28) Aquino, W.; Hawkins, N. M.; and Lange, D. A., July-Aug. 2004 259
Drying—Moisture distribution in partially enclosed concrete (101-M28) Aquino, W.; Hawkins, N. M.; and Lange, D. A., July-Aug. 2004 259
Drying shrinkage
—Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Shin, H.-C., and Lange, D. A., Sept.-Oct. 2004 358
—Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Videla, C., and Gaedicke, C., Sept.-Oct. 2004 365
Drying shrinkage of concrete reinforced with fibers and welded-wire fabric (101-M26) Voigt, T.; Bui, V. K.; and Shah, S. P., May-June 2004 233
Dry-mix shotcrete—Effects of particle-size distribution in dry process shotcrete (101-M15) Jolin, M., and Beaupré, D., Mar.-Apr. 2004 131
Durability
—Development of statistical models for mixture design of high-volume fly ash self-consolidating concrete (101-M33) Patel, R.; Hossain, K. M. A.; Bouzoubaâ, N.; and Lachemi, M., July-Aug. 2004 294
—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Petrov, N., and Tagnit-Hamou, A., Nov.-Dec. 2004 442
—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Kim, Y. Y.; Fischer, G.; Lim, Y. M.; and Li, V. C., Jan.-Feb. 2004 42
—Performance of supplementary cementitious materials in concrete resistivity and corrosion monitoring evaluations (101-M43) Smith, K. M.; Schokker, A. J.; and Tikalsky, P. J., Sept.-Oct. 2004 385
Dynamic modulus of elasticity—Properties of early-age portland cement mortar monitored with shear wave reflection method (101-M53) Voigt, T., and Shah, S. P., Nov.-Dec. 2004 473
Dynamic tensile behavior of concrete: experiment and numerical analysis (101-M19) Brara, A., and Klepaczko, J. R., Mar.-Apr. 2004 162

E

Early ages
—New experimental method for studying early-age cracking of cement-based materials (101-M06) He, Z.; Zhou, X.; and Li, Z., Jan.-Feb. 2004 50
—Properties of early-age portland cement mortar monitored with shear wave reflection method (101-M53) Voigt, T., and Shah, S. P., Nov.-Dec. 2004 473
Early ages of concrete—Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Shin, H.-C., and Lange, D. A., Sept.-Oct. 2004 358
Effect of aggregate type in mechanical behavior of dam concrete (101-M54) Li, Q.; Deng, Z.; and Fu, H., Nov.-Dec. 2004 483
Effect of geometry and surface friction of test accessory on oscillatory rheological properties of cement pastes (101-M47) Nehdi, M., and Rahman, M.-A., Sept.-Oct. 2004 416
Effect of pore water pressure on friction between concrete and slipform panel during slipforming (101-M13) Fossá, K. T., and Maage, M., Mar.-Apr. 2004 117
Effect of temperature on hydration of cementitious materials (101-M09) Schindler, A. K., Jan.-Feb. 2004 72
Effects of air entrainment on rheology (101-M50) Struble, L. J., and Jiang, Q., Nov.-Dec. 2004 448
Effects of atmospheric and construction conditions on concrete equivalent ages (101-M42) Wojcik, G. S., Sept.-Oct. 2004 376
Effects of particle-size distribution in dry process shotcrete (101-M15) Jolin, M., and Beaupré, D., Mar.-Apr. 2004 131
Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Shin, H.-C., and Lange, D. A., Sept.-Oct. 2004 358
Ehsani, M. R.—Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Mar.-Apr. 2004 99
Electrical resistance heating of conductive concrete containing steel fibers and shavings (101-M08) Tuan, C. Y., Jan.-Feb. 2004 65
Encapsulation of contaminated soil in concrete mortar (101-M38) Dawadi, S.; Hansen, M. R.; and Berdanier, B. W., Sept.-Oct. 2004. . . 347
Entrained air—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Petrov, N., and Tagnit-Hamou, A., Nov.-Dec. 2004 442
Epoxy—Long-term performance of fusion-bonded epoxy-coated steel bars in chloride-contaminated concrete (101-M34) Al-Amoudi, O. S. B.; Maslehuddin, M.; and Ibrahim, M., July-Aug. 2004 303
Ettringite—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Petrov, N., and Tagnit-Hamou, A., Nov.-Dec. 2004 442
Evaluating bond quality at interface between reinforcing bars and concrete using impact-echo method (101-M18) Lin, Y.-F.; Lin, Y.; and Tsai, B.-Y., Mar.-Apr. 2004 154
Evaluation of electrically conductive concrete containing carbon products for deicing (101-M32) Tuan, C. Y., and Yehia, S., July-Aug. 2004 287
Evaluation of static stability of self-consolidating concrete (101-M23) Assaad, J.; Khayat, K. H.; and Daczko, J., May-June 2004 207
Expansion
—Concrete cracking by localized steel corrosion—geometric effects (101-M56) Torres-Acosta, A. A., and Sagüés, A. A., Nov.-Dec. 2004 501
—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Petrov, N., and Tagnit-Hamou, A., Nov.-Dec. 2004 442

F

Factorial design of cement slurries containing limestone powder for self-consolidating slurry-infiltrated fiber concrete (101-M16) Sonebi, M.; Svermova, L.; and Bartos, P. J. M., Mar.-Apr. 2004 136
Fatigue—Low-cycle fatigue failure of reinforcing steel bars (101-M51) Brown, J., and Kunnath, S. K., Nov.-Dec. 2004 457
Fiber
—Evaluation of electrically conductive concrete containing carbon products for deicing (101-M32) Tuan, C. Y., and Yehia, S., July-Aug. 2004 287
—Properties of polyester polymer concrete with glass and carbon fibers (101-M04) Sett, K., and Vipulanandan, C., Jan.-Feb. 2004 30
Fiber synergy in fiber-reinforced self-consolidating concrete (101-M57) Nehdi, M., and Ladanchuk, J. D., Nov.-Dec. 2004 508
Fibers
—Electrical resistance heating of conductive concrete containing steel fibers and shavings (101-M08) Tuan, C. Y., Jan.-Feb. 2004 65
—Fiber synergy in fiber-reinforced self-consolidating concrete (101-M57) Nehdi, M., and Ladanchuk, J. D., Nov.-Dec. 2004 508
Fiber-reinforced concrete
—Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Shin, H.-C., and Lange, D. A., Sept.-Oct. 2004 358
—High-performance fiber-reinforced concrete mixture proportions with high fiber volume fractions (101-M31) Balaguru, P., and Najm, H., July-Aug. 2004 281
Field measurement of water-cementitious material ratio using nuclear gage (100-M56)
—Dowell, A. M., and Cramer, S. M., Nov.-Dec. 2003 485
—Disc. by Hime, W. G., Sept.-Oct. 2004 425
Fischer, G.—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Jan.-Feb. 2004 42

Flexural strength
—High-performance fiber-reinforced concrete mixture proportions with high fiber volume fractions (101-M31) Balaguru, P., and Najm, H., July-Aug. 2004 281
—Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Videla, C., and Gaedicke, C., Sept.-Oct. 2004 365
—New test methods for measuring strength and chloride ion diffusion coefficient of minute regions in concrete (101-M17) Otsuki, N.; Yodsudjai, W.; Nishida, T.; and Yamane, H., Mar.-Apr. 2004 146
Flexure—Fiber synergy in fiber-reinforced self-consolidating concrete (101-M57) Nehdi, M., and Ladanchuk, J. D., Nov.-Dec. 2004 508
Flow—Study on watertightness of concrete (101-M12) Murata, J.; Ogihara, Y.; Koshikawa, S.; and Itoh, Y., Mar.-Apr. 2004 107
Fly ash
—Development of statistical models for mixture design of high-volume fly ash self-consolidating concrete (101-M33) Patel, R.; Hossain, K. M. A.; Bouzoubaâ, N.; and Lachemi, M., July-Aug. 2004 294
—Development of ternary blends for high-performance concrete (101-M03) Bouzoubaâ, N.; Biloudeau, A.; Sivasundaram, V.; Fournier, B.; and Golden, D. M., Jan.-Feb. 2004 19
—Effects of atmospheric and construction conditions on concrete equivalent ages (101-M42) Wojcik, G. S., Sept.-Oct. 2004 376
—On the development of fly ash-based geopolymer concrete (101-M52) Hardjito, D.; Wallah, S. E.; Sumajouw, D. M. J.; and Rangan, B. V., Nov.-Dec. 2004 467
—Performance of supplementary cementitious materials in concrete resistivity and corrosion monitoring evaluations (101-M43) Smith, K. M.; Schokker, A. J.; and Tikalsky, P. J., Sept.-Oct. 2004 385
Fossâ, K. T.—Effect of pore water pressure on friction between concrete and slipform panel during slipforming (101-M13) Mar.-Apr. 2004 117
Fournier, B.—Development of ternary blends for high-performance concrete (101-M03) Jan.-Feb. 2004 19
Freyne, S. F.—Comparing different cements in high-performance concrete (101-M48) Nov.-Dec. 2004 435
Friction
—Assessment of thixotrpoy of self-consolidating concrete and concrete-equivalent-mortar—effect of binder composition and content (101-M45) Assaad, J., and Khayat, K. H., Sept.-Oct. 2004 400
—Effect of pore water pressure on friction between concrete and slipform panel during slipforming (101-M13) Fossâ, K. T., and Maage, M., Mar.-Apr. 2004 117
Fu, H.—Effect of aggregate type on mechanical behavior of dam concrete (101-M54) Nov.-Dec. 2004 483

G

Gaedicke, C.—Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Sept.-Oct. 2004 365
Gardner, N. J.—Is superposition of creep strains valid for concretes subjected to drying creep? (101-M46) Sept.-Oct. 2004 409
Glass fiber—Properties of polyester polymer concrete with glass and carbon fibers (101-M04) Sett, K., and Vipulanandan, C., Jan.-Feb. 2004 30
Golden, D. M.—Development of ternary blends for high-performance concrete (101-M03) Jan.-Feb. 2004 19
Gradient—Accelerated chloride threshold testing—part II: corrosion-resistant reinforcement (101-M07) Trejo, D., and Pillai, R. G., Jan.-Feb. 2004 57
Grading—Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Marolf, A.; Neithalath, N.; Sell, E.; Wegner, K.; Weiss, J.; and Olek, J., Jan.-Feb. 2004 82

H

Hale, W. M.—Comparing different cements in high-performance concrete (101-M48) Nov.-Dec. 2004 435
Hamada, H.
—Concrete after 30 years of exposure—part I: mineralogy, microstructures, and interfaces (101-M01) Jan.-Feb. 2004 3
—Concrete after 30 years of exposure—part II: chloride ingress and corrosion of steel bars (101-M02) Jan.-Feb. 2004 13
—Long-term performance of alumina cement concrete mixed with tap water and seawater (101-M25) May-June 2004 226
Hansen, M. R.—Encapsulation of contaminated soil in concrete mortar (101-M38) Sept.-Oct. 2004 347
Hardjito, D.—On the development of fly ash-based geopolymer concrete (101-M52) Nov.-Dec. 2004 467
Hawkins, N. M.—Moisture distribution in partially enclosed concrete (101-M28) July-Aug. 2004 259
He, Z.—New experimental method for studying early-age cracking of cement-based materials (101-M06) Jan.-Feb. 2004 50
Heat curing of high-performance concrete containing type III cement (100-M51)
—Freyne, S. F.; Russell, B. W.; and Bush, Jr., T. D., Nov.-Dec. 2003 449
—Disc. by Hime, W. G., Sept.-Oct. 2004 425
Heat of hydration—Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Shin, H.-C., and Lange, D. A., Sept.-Oct. 2004 358
High-performance concrete
—Comparing different cements in high-performance concrete (101-M48) Freyne, S. F.; Russell, B. W.; Bush, Jr., T. D.; and Hale, W. M., Nov.-Dec. 2004 435
—Creep and shrinkage of high-performance lightweight concrete (101-M44) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., Sept.-Oct. 2004 391
—High-performance fiber-reinforced concrete mixture proportions with high fiber volume fractions (101-M31) Balaguru, P., and Najm, H., July-Aug. 2004 281
—Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Videla, C., and Gaedicke, C., Sept.-Oct. 2004 365
—Performance of supplementary cementitious materials in concrete resistivity and corrosion monitoring evaluations (101-M43) Smith, K. M.; Schokker, A. J.; and Tikalsky, P. J., Sept.-Oct. 2004 385
High-performance fiber-reinforced concrete mixture proportions with high fiber volume fractions (101-M31) Balaguru, P., and Najm, H., July-Aug. 2004 281
High-range water-reducing admixture—Applications of statistical models in proportioning medium-strength self-consolidating concrete (101-M37) Sonebi, M., Sept.-Oct. 2004 339
High temperature—Residual strength and durability of volcanic ash concrete exposed to high temperature (101-M55) Hossain, K. M. A., and Lachemi, M., Nov.-Dec. 2004 493
Horikoshi, T.—Micromechanics-based durability study of polyvinyl alcohol-engineered cementitious composite (101-M27) May-June 2004 242
Hossain, K. M. A.
—Development of statistical models for mixture design of high-volume fly ash self-consolidating concrete (101-M33) July-Aug. 2004 294
—Residual strength and durability of volcanic ash concrete exposed to high temperature (101-M55) Nov.-Dec. 2004 493
Hydration
—Effect of temperature on hydration of cementitious materials (101-M09) Schindler, A. K., Jan.-Feb. 2004 72
—Influence of alkali-free and alkaline shotcrete accelerators within cement systems: hydration, microstructure, and strength development (101-M39) Paglia, C. S. B.; Wombacher, F. J.; and Böhni, H. K., Sept.-Oct. 2004 353
—Properties of early-age portland cement mortar monitored with shear wave reflection method (101-M53) Voigt, T., and Shah, S. P., Nov.-Dec. 2004 473

I

Ibrahim, M.—Long-term performance of fusion-bonded epoxy-coated steel bars in chloride-contaminated concrete (101-M34) July-Aug. 2004 303
Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Marolf, A.; Neithalath, N.; Sell, E.; Wegner, K.; Weiss, J.; and Olek, J., Jan.-Feb. 2004 82
Influence of alkali-free and alkaline shotcrete accelerators within cement systems: hydration, microstructure, and strength development (101-M39) Paglia, C. S. B.; Wombacher, F. J.; and Böhni, H. K., Sept.-Oct. 2004 353
Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Petrov, N., and Tagnit-Hamou, A., Nov.-Dec. 2004 442
Is superposition of creep strains valid for concretes subjected to drying creep? (101-M46) Gardner, N. J., and Tsuruta, H., Sept.-Oct. 2004 409
Itoh, Y.—Study on watertightness of concrete (101-M12) Mar.-Apr. 2004 107

J

Jiang, Q.—Effects of air entrainment on rheology (101-M50) Nov.-Dec. 2004 448
Jolin, M.—Effects of particle-size distribution on dry process shotcrete (101-M15) Mar.-Apr. 2004 131

K

Kahn, L. F.—Creep and shrinkage of high-performance lightweight concrete (101-M44) Sept.-Oct. 2004 391
Kesner, K.—Detection and quantification of distributed damage in concrete using transient stress waves (101-M36) July-Aug. 2004 318
Khayat, K. H.
—Assessment of thixotrpoy of self-consolidating concrete and concrete-equivalent-mortar—effect of binder composition and content (101-M45) Sept.-Oct. 2004 400
—Comparison of field-oriented test methods to assess dynamic stability of self-consolidating concrete (101-M20) Mar.-Apr. 2004 168
—Evaluation of static stability of self-consolidating concrete (101-M23) May-June 2004 207
—Variations of lateral and pore water pressure of self-consolidating concrete at early age (101-M35) July-Aug. 2004 310
Kim, Y. Y.—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Jan.-Feb. 2004 42
Klepaczko, J. R.—Dynamic tensile behavior of concrete: experiment and numerical analysis (101-M19) Mar.-Apr. 2004 162
Koshikawa, S.—Study on watertightness of concrete (101-M12) Mar.-Apr. 2004 107
Kraus, R. N.—Precast concrete products using industrial by-products (101-M22) May-June 2004 199
Kunnath, S. K.—Low-cycle fatigue failure of reinforcing steel bars (101-M51) Nov.-Dec. 2004 457
Kurtis, K. E.—Creep and shrinkage of high-performance lightweight concrete (101-M44) Sept.-Oct. 2004 391

L

Lachemi, M.
—Development of statistical models for mixture design of high-volume fly ash self-consolidating concrete (101-M33) July-Aug. 2004 294
—Residual strength and durability of volcanic ash concrete exposed to high temperature (101-M55) Nov.-Dec. 2004 493
Ladanchuk, J. D.—Fiber synergy in fiber-reinforced self-consolidating concrete (101-M57) Nov.-Dec. 2004 508
Lange, D. A.
—Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Shin, H.-C., and Lange, D. A., Sept.-Oct. 2004 358
—Moisture distribution in partially enclosed concrete (101-M28) July-Aug. 2004 259
Li, Q.—Effect of aggregate type on mechanical behavior of dam concrete (101-M54) Nov.-Dec. 2004 483
Li, V. C.
—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Jan.-Feb. 2004 42
—Micromechanics-based durability study of polyvinyl alcohol-engineered cementitious composite (101-M27) May-June 2004 242
Li, Z.—New experimental method for studying early-age cracking of cement-based materials (101-M06) Jan.-Feb. 2004 50
Lightweight concrete
—Creep and shrinkage of high-performance lightweight concrete (101-M44) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., Sept.-Oct. 2004 391
—High-performance fiber-reinforced concrete mixture proportions with high fiber volume fractions (101-M31) Balaguru, P., and Najm, H., July-Aug. 2004 281
Lim, Y. M.—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Jan.-Feb. 2004 42
Lin, Y.—Evaluating bond quality at interface between reinforcing bars and concrete using impact-echo method (101-M18) Mar.-Apr. 2004 154
Lin, Y.-F.—Evaluating bond quality at interface between reinforcing bars and concrete using impact-echo method (101-M18) Mar.-Apr. 2004 . . . 154
Long-term performance of alumina cement concrete mixed with tap water and seawater (101-M25) Mohammed, T. U., and Hamada, H., May-June 2004 226
Long-term performance of fusion-bonded epoxy-coated steel bars in chloride-contaminated concrete (101-M34) Al-Amoudi, O. S. B.; Maslehuddin, M.; and Ibrahim, M., July-Aug. 2004 303
Lopez, M.—Creep and shrinkage of high-performance lightweight concrete (101-M44) Sept.-Oct. 2004 391
Low-cycle fatigue failure of reinforcing steel bars (101-M51) Brown, J., and Kunnath, S. K., Nov.-Dec. 2004 457

M

Maage, M.—Effect of pore water pressure on friction between concrete and slipform panel during slipforming (101-M13) Mar.-Apr. 2004 117
Mancio, M.—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 3: effect of geometry and material properties (101-M30) July-Aug. 2004 273
Marolf, A.—Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Jan.-Feb. 2004 82
Masana, C.—Updating concrete drying-shrinkage prediction models for local materials (101-M21) May-June 2004 187
Maslehuddin, M.—Long-term performance of fusion-bonded epoxy-coated steel bars in chloride-contaminated concrete (101-M34) July-Aug. 2004 303
Maturity—Effect of temperature on hydration of cementitious materials (101-M09) Schindler, A. K., Jan.-Feb. 2004 72
Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Kim, Y. Y.; Fischer, G.; Lim, Y. M.; and Li, V. C., Jan.-Feb. 2004 42
Microcracks—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Petrov, N., and Tagnit-Hamou, A., Nov.-Dec. 2004 442
Micromechanics-based durability study of polyvinyl alcohol-engineered cementitious composite (101-M27) Li, V. C.; Horikoshi, T.; Ogawa, A.; Torigoe, S.; and Saito, T., May-June 2004 242
Modeling—Creep and shrinkage of high-performance lightweight concrete (101-M44) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., Sept.-Oct. 2004 . . . 391
Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Videla, C., and Gaedicke, C., Sept.-Oct. 2004 365
Modulus of elasticity
—Comparing different cements in high-performance concrete (101-M48) Freyne, S. F.; Russell, B. W.; Bush, Jr., T. D.; and Hale, W. M., Nov.-Dec. 2004 435
—Effect of aggregate type on mechanical behavior of dam concrete (101-M54) Li, Q.; Deng, Z.; and Fu, H., Nov.-Dec. 2004 483
—Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Videla, C., and Gaedicke, C., Sept.-Oct. 2004 365
Mohammed, T. U.
—Concrete after 30 years of exposure—part I: mineralogy, microstructures, and interfaces (101-M01) Jan.-Feb. 2004 3
—Concrete after 30 years of exposure—part II: chloride ingress and corrosion of steel bars (101-M02) Jan.-Feb. 2004 13
—Long-term performance of alumina cement concrete mixed with tap water and seawater (101-M25) May-June 2004 226
Moisture distribution in partially enclosed concrete (101-M28) Aquino, W.; Hawkins, N. M.; and Lange, D. A., July-Aug. 2004 259
Momayez, A.—Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Mar.-Apr. 2004 99
Monteiro, P. J. M.—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 3: effect of geometry and material properties (101-M30) July-Aug. 2004 273
Morrison, H. F.—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 3: effect of geometry and material properties (101-M30) July-Aug. 2004 273
Mortar
—Assessment of thixotrpoy of self-consolidating concrete and concrete-equivalent-mortar—effect of binder composition and content (101-M45) Assaad, J., and Khayat, K. H., Sept.-Oct. 2004 400
—Encapsulation of contaminated soil in concrete mortar (101-M38) Dawadi, S.; Hansen, M. R.; and Berdanier, B. W., Sept.-Oct. 2004 . . . 347
—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Petrov, N., and Tagnit-Hamou, A., Nov.-Dec. 2004 442
Murata, J.—Study on watertightness of concrete (101-M12) Mar.-Apr. 2004 107

N

Naik, T. R.—Precast concrete products using industrial by-products (101-M22) May-June 2004 199
Najm, H.—High-performance fiber-reinforced concrete mixture proportions with high fiber volume fractions (101-M31) July-Aug. 2004 281
Nehdi, M.
—Effect of geometry and surface friction of test accessory on oscillatory rheological properties of cement pastes (101-M47) Sept.-Oct. 2004 416
—Fiber synergy in fiber-reinforced self-consolidating concrete (101-M57) Nov.-Dec. 2004 508

—System dynamics model for sustainable cement and concrete: novel tool for policy analysis (101-M24) May-June 2004 216
Neithalath, N.—Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Jan.-Feb. 2004 82
New experimental method for studying early-age cracking of cement-based materials (101-M06) He, Z.; Zhou, X.; and Li, Z., Jan.-Feb. 2004 50
New strength model based on water-cement ratio and capillary porosity (100-M37)
—Pann, K. S.; Yen, T.; Tang, C.-W.; and Lin, T. D., July-Aug. 2003 311
—Disc. by Popovics, S., May-June 2004 249
—Disc. by Arioglu, N.; Girgin, C.; and Arioglu, E., May-June 2004 250
New test methods for measuring strength and chloride ion diffusion coefficient of minute regions in concrete (101-M17) Otsuki, N.; Yodsudjai, W.; Nishida, T.; and Yamane, H., Mar.-Apr. 2004 146
Nishida, T.—New test methods for measuring strength and chloride ion diffusion coefficient of minute regions in concrete (101-M17) Mar.-Apr. 2004 146
Nondestructive testing—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 3: effect of geometry and material properties (101-M30) Zhang, J.; Monteiro, P. J. M.; Morrison, H. F., and Mancio, M., July-Aug. 2004 273
Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 3: effect of geometry and material properties (101-M30) Zhang, J.; Monteiro, P. J. M.; Morrison, H. F.; and Mancio, M., July-Aug. 2004 273

O

Ogawa, A.—Micromechanics-based durability study of polyvinyl alcohol-engineered cementitious composite (101-M27) May-June 2004 242
Ogihara, Y.—Study on watertightness of concrete (101-M12) Mar.-Apr. 2004 107
Olek, J.—Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Jan.-Feb. 2004 82
On the development of fly ash-based geopolymer concrete (101-M52) Hardjito, D.; Wallah, S. E.; Sumajouw, D. M. J.; and Rangan, B. V., Nov.-Dec. 2004 467
Optimum silica fume content and its mode of action on concrete (100-M46)
—Bhanja, S., and Sengupta, B., Sept.-Oct. 2003 407
—Disc. by Kaushik, S. K., and Kumar, P., July-Aug. 2004 327
Otsuki, N.—New test methods for measuring strength and chloride ion diffusion coefficient of minute regions in concrete (101-M17) Mar.-Apr. 2004 146
Overlay—Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Shin, H.-C., and Lange, D. A., Sept.-Oct. 2004 358

P

Paglia, C. S. B.—Influence of alkali-free and alkaline shotcrete accelerators within cement systems: hydration, microstructure, and strength development (101-M39) Sept.-Oct. 2004 353
Particle-size distribution—Effects of particle-size distribution in dry process shotcrete (101-M15) Jolin, M., and Beaupré, D., Mar.-Apr. 2004 131
Paste—Effects of air entrainment on rheology (101-M50) Struble, L. J., and Jiang, Q., Nov.-Dec. 2004 448
Patel, R.—Development of statistical models for mixture design of high-volume fly ash self-consolidating concrete (101-M33) July-Aug. 2004 294
Performance of supplementary cementitious materials in concrete resistivity and corrosion monitoring evaluation (101-M43) Smith, K. M.; Schokker, A. J.; and Tikalsky, P. J., Sept.-Oct. 2004 385
Permeability—Residual strength and durability of volcanic ash concrete exposed to high temperature (101-M55) Hossain, K. M. A., and Lachemi, M., Nov.-Dec. 2004 493
Petrov, N.—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Nov.-Dec. 2004 442
Pillai, R. G.—Accelerated chloride threshold testing—part II: corrosion-resistant reinforcement (101-M07) Jan.-Feb. 2004 57
Plastic shrinkage—Development of ternary blends for high-performance concrete (101-M03) Bouzoubaâ, N.; Bilodeau, A.; Sivasundaram, V.; Fournier, B.; and Golden, D. M., Jan.-Feb. 2004 19
Poisson's ratio—Properties of polyester polymer concrete with glass and carbon fibers (101-M04) Sett, K., and Vipulanandan, C., Jan.-Feb. 2004 30
Polymer concrete—Properties of polyester polymer concrete with glass and carbon fibers (101-M04) Sett, K., and Vipulanandan, C., Jan.-Feb. 2004 30
Porosity
—Concrete after 30 years of exposure—part I: mineralogy, microstructures, and interfaces (101-M01) Mohammed, T. U.; Hamada, H.; and Yamaji, T., Jan.-Feb. 2004 3
—Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Marolf, A.; Neithalath, N.; Sell, E.; Wegner, K.; Weiss, J., and Olek, J., Jan.-Feb. 2004 82
Portland cement mortar—Properties of early-age portland cement mortar monitored with shear wave reflection method (101-M53) Voigt, T., and Shah, S. P., Nov.-Dec. 2004 473
Poston, R. W.—Detection and quantification of distributed damage in concrete using transient stress waves (101-M36) July-Aug. 2004 318
Pozzolan—Residual strength and durability of volcanic ash concrete exposed to high temperature (101-M55) Hossain, K. M. A., and Lachemi, M., Nov.-Dec. 2004 493
Precast concrete products using industrial by-products (101-M22) Naik, T. R.; Chun, Y.-M.; Kraus, R. N.; Ramme, B. W.; and Siddique, R., May-June 2004 199
Pressure
—Study on watertightness of concrete (101-M12) Murata, J.; Ogihara, Y.; Koshikawa, S.; and Itoh, Y., Mar.-Apr. 2004 107
—Variations of lateral and pore water pressure of self-consolidating concrete at early age (101-M35) Assaad, J., and Khayat, K. H., July-Aug. 2004 310
Prestressed concrete—Creep and shrinkage of high-performance lightweight concrete (101-M44) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., Sept.-Oct. 2004 391
Properties of early-age portland cement mortar monitored with shear wave reflection method (101-M53) Voigt, T., and Shah, S. P., Nov.-Dec. 2004 473
Properties of polyester polymer concrete with glass and carbon fibers (101-M04) Sett, K., and Vipulanandan, C., Jan.-Feb. 2004 30
Pulverized-fuel ash—Applications of statistical models in proportioning medium-strength self-consolidating concrete (101-M37) Sonebi, M., Sept.-Oct. 2004 339

R

Rahman, M.-A.—Effect of geometry and surface friction of test accessory on oscillatory rheological properties of cement pastes (101-M47) Sept.-Oct. 2004 416
Rajaie, H.—Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Mar.-Apr. 2004 99
Ramezanianpour, A. A.—Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Mar.-Apr. 2004 99
Ramme, B. W.—Precast concrete products using industrial by-products (101-M22) May-June 2004 199
Ranjan, B. V.—On the development of fly ash-based geopolymer concrete (101-M52) Nov.-Dec. 2004 467
Rebound—Effects of particle-size distribution in dry process shotcrete (101-M15) Jolin, M., and Beaupré, D., Mar.-Apr. 2004 131
Rehan, R.—System dynamics model for sustainable cement and concrete: novel tool for policy analysis (101-M24) May-June 2004 216
Reinforcement
—Corrosion of steel reinforcement in concrete adjacent to surface repairs (101-M29) Barkey, D. P., July-Aug. 2004 266
—Low-cycle fatigue failure of reinforcing steel bars (101-M51) Brown, J., and Kunnath, S. K., Nov.-Dec. 2004 457
—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 3: effect of geometry and material properties (101-M30) Zhang, J.; Monteiro, P. J. M.; Morrison, H. F.; and Mancio, M., July-Aug. 2004 273
Relationship between migration coefficient of chloride ions and charge passed in steady state (101-M14) Yang, C.-C., Mar.-Apr. 2004 124
Relative humidity—Moisture distribution in partially enclosed concrete (101-M28) Aquino, W.; Hawkins, N. M ; and Lange, D. A., July-Aug. 2004 259
Repair
—Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Momayez, A.; Ramezanianpour, A. A.; Rajaie, H., and Ehsani, M. R., Mar.-Apr. 2004 99
—Corrosion of steel reinforcement in concrete adjacent to surface repairs (101-M29) Barkey, D. P., July-Aug. 2004 266
—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Kim, Y. Y.; Fischer, G.; Lim, Y. M.; and Li, V. C., Jan.-Feb. 2004 42
Residual strength and durability of volcanic ash concrete exposed to high temperature (101-M55) Hossain, K. M. A., and Lachemi, M., Nov.-

Dec. 2004 493
Resistance—Performance of supplementary cementitious materials in concrete resistivity and corrosion monitoring evaluations (101-M43) Smith, K. M.; Schokker, A. J.; and Tikalsky, P. J., Sept.-Oct. 2004 385
Restraint—New experimental method for studying early-age cracking of cement-based materials (101-M06) He, Z.; Zhou, X.; and Li, Z., Jan.-Feb. 2004 50
Rheology
—Applications of statistical models in proportioning medium-strength self-consolidating concrete (101-M37) Sonebi, M., Sept.-Oct. 2004 339
—Effect of geometry and surface friction of test accessory on oscillatory rheological properties of cement pastes (101-M47) Nehdi, M., and Rahman, M.-A., Sept.-Oct. 2004 416
—Effects of air entrainment on rheology (101-M50) Struble, L. J., and Jiang, Q., Nov.-Dec. 2004 448
Russell, B. W.—Comparing different cements in high-performance concrete (101-M48) Nov.-Dec. 2004 435

S

Sagüés, A. A.—Concrete cracking by localized steel corrosion—geometric effects (101-M56) Nov.-Dec. 2004 501
Saito, T.—Micromechanics-based durability study of polyvinyl alcohol-engineered cementitious composite (101-M27) May-June 2004 242
Sansalone, M. J.—Detection and quantification of distributed damage in concrete using transient stress waves (101-M36) July-Aug. 2004 318
Schindler, A. K.—Effect of temperature on hydration of cementitious materials (101-M09) Jan.-Feb. 2004 72
Schokker, A. J.—Performance of supplementary cementitious materials in concrete resistivity and corrosion monitoring evaluations (101-M43) Sept.-Oct. 2004 385
Segregation—Applications of statistical models in proportioning medium-strength self-consolidating concrete (101-M37) Sonebi, M., Sept.-Oct. 2004 339
Sell, E.—Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Jan.-Feb. 2004 82
Sett, K.—Properties of polyester polymer concrete with glass and carbon fibers (101-M04) Jan.-Feb. 2004 30
Setting time—Development of ternary blends for high-performance concrete (101-M03) Bouzoubaâ, N.; Biloudeau, A.; Sivasundaram, V.; Fournier, B.; and Golden, D. M., Jan.-Feb. 2004 19
Shah, S. P.
—Drying shrinkage of concrete reinforced with fibers and welded-wire fabric (101-M26) May-June 2004 233
—Properties of early-age portland cement mortar monitored with shear wave reflection method (101-M53) Nov.-Dec. 2004 473
Shear strength—Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Momayez, A.; Ramezanianpour, A. A.; Rajaie, H.; and Ehsani, M. R., Mar.-Apr. 2004 99
Shehata, M.—Development of statistical models for mixture design of high-volume fly ash self-consolidating concrete (101-M33) July-Aug. 2004 294
Shin, H.-C.—Effects of shrinkage and temperature in bonded concrete overlays (101-M40) Sept.-Oct. 2004 358
Shrinkage
—Creep and shrinkage of high-performance lightweight concrete (101-M44) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., Sept.-Oct. 2004 391
—Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Videla, C., and Gaedicke, C., Sept.-Oct. 2004 365
—New experimental method for studying early-age cracking of cement-based materials (101-M06) He, Z.; Zhou, X.; and Li, Z., Jan.-Feb. 2004 50
—On the development of fly ash-based geopolymer concrete (101-M52) Hardjito, D.; Wallah, S. E.; Sumajouw, D. M. J.; and Rangan, B. V., Nov.-Dec. 2004 467
Siddique, R.—Precast concrete products using industrial by-products (101-M22) May-June 2004 199
Silica fume
—Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Momayez, A.; Ramezanianpour, A. A.; Rajaie, H.; and Ehsani, M. R., Mar.-Apr. 2004 99
—Development of ternary blends for high-performance concrete (101-M03) Bouzoubaâ, N.; Biloudeau, A.; Sivasundaram, V.; Fournier, B.; and Golden, D. M., Jan.-Feb. 2004 19
—Effects of atmospheric and construction conditions on concrete equivalent ages (101-M42) Wojcik, G. S., Sept.-Oct. 2004 376
—High-performance fiber-reinforced concrete mixture proportions with high fiber volume fractions (101-M31) Balaguru, P., and Najm, H., July-Aug. 2004 281
Simonovic, S. P.—System dynamics model for sustainable cement and concrete: novel tool for policy analysis (101-M24) May-June 2004 216
Sivasundaram, V.—Development of ternary blends for high-performance concrete (101-M03) Jan.-Feb. 2004 19
Slag—Performance of supplementary cementitious materials in concrete resistivity and corrosion monitoring evaluations (101-M43) Smith, K. M.; Schokker, A. J.; and Tikalsky, P. J., Sept.-Oct. 2004 385
Slag cement—Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Videla, C., and Gaedicke, C., Sept.-Oct. 2004 365
Slipform—Effect of pore water pressure on friction between concrete and slipform panel during slipforming (101-M13) Fossâ, K. T., and Maage, M., Mar.-Apr. 2004 117
Slump
—Comparing different cements in high-performance concrete (101-M48) Freyne, S. F.; Russell, B. W.; Bush, Jr., T. D.; and Hale, W. M., Nov.-Dec. 2004 435
—Fiber synergy in fiber-reinforced self-consolidating concrete (101-M57) Nehdi, M., and Ladanchuk, J. D., Nov.-Dec. 2004 508
Slump test—Factorial design of cement slurries containing limestone powder for self-consolidating slurry-infiltrated fiber concrete (101-M16) Sonebi, M.; Svermova, L.; and Bartos, P. J. M., Mar.-Apr. 2004 136
Slurry—Factorial design of cement slurries containing limestone powder for self-consolidating slurry-infiltrated fiber concrete (101-M16) Sonebi, M.; Svermova, L.; and Bartos, P. J. M., Mar.-Apr. 2004 136
Smith, K. M.—Performance of supplementary cementitious materials in concrete resistivity and corrosion monitoring evaluations (101-M43) Sept.-Oct. 2004 385
Soil—Encapsulation of contaminated soil in concrete mortar (101-M38) Dawadi, S.; Hansen, M. R.; and Berdanier, B. W., Sept.-Oct. 2004 . . . 347
Sonebi, M.
—Application of statistical models in proportioning medium-strength self-consolidating concrete (101-M37) Sept.-Oct. 2004 339
—Factorial design of cement slurries containing limestone powder for self-consolidating slurry-infiltrated fiber concrete (101-M16) Mar.-Apr. 2004 136
Spalling—Dynamic tensile behavior of concrete: experiment and numerical analysis (101-M19) Brara, A., and Klepaczko, J. R., Mar.-Apr. 2004 162
Splitting tensile strength—Comparing different cements in high-performance concrete (101-M48) Nov.-Dec. 2004 435
Steam curing—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Petrov, N., and Tagnit-Hamou, A., Nov.-Dec. 2004 442
Steel
—Accelerated chloride threshold testing—part II: corrosion-resistant reinforcement (101-M07) Trejo, D., and Pillai, R. G., Jan.-Feb. 2004 57
—Concrete after 30 years of exposure—part II: chloride ingress and corrosion of steel bars (101-M02) Mohammed, T. U.; Hamada, H.; and Yamaji, T., Jan.-Feb. 2004 13
—Corrosion of steel reinforcement in concrete adjacent to surface repairs (101-M29) Barkey, D. P., July-Aug. 2004 266
—Long-term performance of fusion-bonded epoxy-coated steel bars in chloride-contaminated concrete (101-M34) Al-Amoudi, O. S. B.; Maslehuddin, M.; and Ibrahim, M., July-Aug. 2004 303
Strain
—Is superposition of creep strains valid for concretes subjected to drying creep? (101-M46) Gardner, N. J., and Tsuruta, H., Sept.-Oct. 2004 409
—Low-cycle fatigue failure of reinforcing steel bars (101-M51) Brown, J., and Kunnath, S. K., Nov.-Dec. 2004 457
—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Kim, Y. Y.; Fischer, G.; Lim, Y. M.; and Li, V. C., Jan.-Feb. 2004 42
Strength
—Fiber synergy in fiber-reinforced self-consolidating concrete (101-M57) Nehdi, M., and Ladanchuk, J. D., Nov.-Dec. 2004 508
—Influence of alkali-free and alkaline shotcrete accelerators within cement systems: hydration, microstructure, and strength development (101-M39) Paglia, C. S. B.; Wombacher, F. J.; and Böhni, H. K., Sept.-Oct. 2004 . . . 353
—Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Videla, C., and Gaedicke, C., Sept.-Oct. 2004 365
Stress
—Detection and quantification of distributed damage in concrete using transient stress waves (101-M36) Kesner, K.; Sansalone, M. J.; and Poston, R. W., July-Aug. 2004 318
—Effect of aggregate type on mechanical behavior of dam concrete (101-M54) Li, Q.; Deng, Z.; and Fu, H., Nov.-Dec. 2004 483
—Effect of geometry and surface friction of test accessory on oscillatory rheological properties of cement pastes (101-M47) Nehdi, M., and

Rahman, M.-A., Sept.-Oct. 2004 416
—Effect of pore water pressure on friction between concrete and slipform panel during slipforming (101-M13) Fossâ, K. T., and Maage, M., Mar.-Apr. 2004 117
Struble, L. J.—Effects of air entrainment on rheology (101-M50) Nov.-Dec. 2004 448
Study on watertightness of concrete (101-M12) Murata, J.; Ogihara, Y.; Koshikawa, S.; and Itoh, Y., Mar.-Apr. 2004 107
Sulfate attack—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Petrov, N., and Tagnit-Hamou, A., Nov.-Dec. 2004 442
Sulfate resistance—On the development of fly ash-based geopolymer concrete (101-M52) Hardjito, D.; Wallah, S. E.; Sumajouw, D. M. J.; and Rangan, B. V., Nov.-Dec. 2004 467
Sumajouw, D. M. J.—On the development of fly ash-based geopolymer concrete (101-M52) Nov.-Dec. 2004 467
Svermova, L.—Factorial design of cement slurries containing limestone powder for self-consolidating slurry-infiltrated fiber concrete (101-M16) Mar.-Apr. 2004 136
System dynamics model for sustainable cement and concrete: novel tool for policy analysis (101-M24) Nehdi, M.; Rehan, R.; and Simonovic, S. P., May-June 2004 216

T

Tagnit-Hamou, A.—Is microcracking really a precursor to delayed ettringite formation and consequent expansion? (101-M49) Nov.-Dec. 2004 442
Temperature—Effect of temperature on hydration of cementitious Materials (101-M09) Schindler, A. K., Jan.-Feb. 2004 72
Temperature rise—Development of ternary blends for high-performance concrete (101-M03) Bouzoubaâ, N.; Bilodeau, A.; Sivasundaram, V.; Fournier, B.; and Golden, D. M., Jan.-Feb. 2004 19
Tensile strength
—Dynamic tensile behavior of concrete: experiment and numerical analysis (101-M19) Brara, A., and Klepaczko, J. R., Mar.-Apr. 2004 162
—New test methods for measuring strength and chloride ion diffusion coefficient of minute regions in concrete (101-M17) Otsuki, N.; Yodsudjai, W.; Nishida, T.; and Yamane, H., Mar.-Apr. 2004 146
Tension—Effect of aggregate type on mechanical behavior of dam concrete (101-M54) Li, Q.; Deng, Z.; and Fu, H., Nov.-Dec. 2004 483
Test
—Bi-surface shear test for evaluating bond between existing and new concrete (101-M11) Momayez, A.; Ramezanianpour, A. A.; Rajaie, H.; and Ehsani, M. R., Mar.-Apr. 2004 99
—Comparison of field-oriented test methods to assess dynamic stability of self-consolidating concrete (101-M20) Khayat, K. H.; Assaad, J.; and Daczko, J., Mar.-Apr. 2004 168
—Detection and quantification of distributed damage in concrete using transient stress waves (101-M36) Kesner, K.; Sansalone, M. J.; and Poston, R. W., July-Aug. 2004 318
—Evaluating bond quality at interface between reinforcing bars and concrete using impact-echo method (101-M18) Lin, Y.-F.; Lin, Y.; and Tsai, B.-Y., Mar.-Apr. 2004 154
—Evaluation of electrically conductive concrete containing carbon products for deicing (101-M32) Tuan, C. Y., and Yehia, S., July-Aug. 2004 287
—Low-cycle fatigue failure of reinforcing steel bars (101-M51) Brown, J., and Kunnath, S. K., Nov.-Dec. 2004 457
—New test methods for measuring strength and chloride ion diffusion coefficient of minute regions in concrete (101-M17) Otsuki, N.; Yodsudjai, W.; Nishida, T.; and Yamane, H., Mar.-Apr. 2004 146
—Properties of early-age portland cement mortar monitored with shear wave reflection method (101-M53) Voigt, T., and Shah, S. P., Nov.-Dec. 2004 473
—Properties of polyester polymer concrete with glass and carbon fibers (101-M04) Sett, K., and Vipulanandan, C., Jan.-Feb. 2004 30
Thixotropy—Assessment of thixotropy of self-consolidating concrete and concrete-equivalent-mortar—effect of binder composition and content (101-M45) Assaad, J., and Khayat, K. H., Sept.-Oct. 2004 400
Tikalsky, P. J.—Performance of supplementary cementitious materials in concrete resistivity and corrosion monitoring evaluations (101-M43) Sept.-Oct. 2004 385
Torigoe, S.—Micromechanics-based durability study of polyvinyl alcohol-engineered cementitious composite (101-M27) May-June 2004 242
Torres-Acosta, A. A.—Concrete cracking by localized steel corrosion—geometric effects (101-M56) Nov.-Dec. 2004 501
Toughness—High-performance fiber-reinforced concrete mixture proportions with high fiber volume fractions (101-M31) Balaguru, P., and Najm, H., July-Aug. 2004 281
Trejo, D.—Accelerated chloride threshold testing—Part II: corrosion-resistant reinforcement (101-M07) Jan.-Feb. 2004 57
Tsai, B.-Y.—Evaluating bond quality at interface between reinforcing bars and concrete using impact-echo method (101-M18) Mar.-Apr. 2004 154
Tsuruta, H.—Is superposition of creep strains valid for concretes subjected to drying creep? (101-M46) Sept.-Oct. 2004 409
Tuan, C. Y.
—Electrical resistance heating of conductive concrete containing steel fibers and shavings (101-M08) Jan.-Feb. 2004 65
—Evaluation of electrically conductive concrete containing carbon products for deicing (101-M32) July-Aug. 2004 287

U

Ultrasonic—Properties of early-age portland cement mortar monitored with shear wave reflection method (101-M53) Voigt, T., and Shah, S. P., Nov.-Dec. 2004 473
Updating concrete drying-shrinkage prediction models for local materials (101-M21) Videla, C.; Covarrubias, J. P.; and Masana, C.; May-June 2004 187

V

Variations of lateral and pore water pressure of self-consolidating concrete at early age (101-M35) Assaad, J.; and Khayat, K. H., July-Aug. 2004 310
Videla, C.
—Modeling portland blast-furnace slag cement high-performance concrete (101-M41) Sept.-Oct. 2004 365
—Updating concrete drying-shrinkage prediction models for local materials (101-M21) May-June 2004 187
Vipulanandan, C.—Properties of polyester polymer concrete with glass and carbon fibers (101-M04) Jan.-Feb. 2004 30
Viscosity—Effects of air entrainment on rheology (101-M50) Struble, L. J., and Jiang, Q., Nov.-Dec. 2004 448
Voigt, T.
—Drying shrinkage of concrete reinforced with fibers and welded-wire fabric (101-M26) May-June 2004 233
—Properties of early-age portland cement mortar monitored with shear wave reflection method (101-M53) Nov.-Dec. 2004 473

W

Wallah, S. E.—On the development of fly ash-based geopolymer concrete (101-M52) Nov.-Dec. 2004 467
Water—Study on watertightness of concrete (101-M12) Murata, J.; Ogihara, Y.; Koshikawa, S.; and Itoh, Y., Mar.-Apr. 2004 107
Water-cement ratio—Encapsulation of contaminated soil in concrete mortar (101-M38) Dawadi, S.; Hansen, M. R.; and Berdanier, B. W., Sept.-Oct. 2004 347
Wegner, K.—Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Jan.-Feb. 2004 82
Weiss, J.—Influence of aggregate size and gradation on acoustic absorption of enhanced porosity concrete (101-M10) Jan.-Feb. 2004 82
Wet-mix shotcrete—Mechanical performance of sprayed engineered cementitious composite using wet-mix shotcreting process for repair applications (101-M05) Kim, Y. Y.; Fischer, G.; Lim, Y. M.; and Li, V. C., Jan.-Feb. 2004 42
Wojcik, G. S.—Effects of atmospheric and construction conditions on concrete equivalent ages (101-M42) Sept.-Oct. 2004 376
Wombacher, F. J.—Influence of alkali-free and alkaline shotcrete accelerators within cement systems: hydration, microstructure, and strength development (101-M39) Sept.-Oct. 2004 353
Workability—Comparison of field-oriented test methods to assess dynamic stability of self-consolidating concrete (101-M20) Khayat, K. H.; Assaad, J.; and Daczko, J., Mar.-Apr. 2004 168

Y

Yamaji, T.
—Concrete after 30 years of exposure—part I: mineralogy, microstructures, and interfaces (101-M01) Jan.-Feb. 2004 3
—Concrete after 30 years of exposure—part II: chloride ingress and corrosion of steel bars (101-M02) Jan.-Feb. 2004 13

Yamane, H.—New test methods for measuring strength and chloride ion diffusion coefficient of minute regions in concrete (101-M17) Mar.-Apr. 2004 146
Yang, C.-C.—Relationship between migration coefficient of chloride ions and charge passed in steady state (101-M14) Yang, C.-C., Mar.-Apr. 2004 124
Yehia, S.—Evaluation of electrically conductive concrete containing carbon products for deicing (101-M32) July-Aug. 2004 287
Yield—Effects of air entrainment on rheology (101-M50) Struble, L. J., and Jiang, Q., Nov.-Dec. 2004 448
Yodsudjai, W.—New test methods for measuring strength and chloride ion diffusion coefficient of minute regions in concrete (101-M17) Mar.-Apr. 2004 146

Z

Zhang, J.—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 3: effect of geometry and material properties (101-M30) July-Aug. 2004 273
Zhou, X.—New experimental method for studying early-age cracking of cement-based materials (101-M06) Jan.-Feb. 2004 50